

## Información Bibliográfica

### GEOLOGIA DEL PETROLEO

PIERI, M., CARELLA, R., 1962. Prospezione geologica e rilevamenti geologici. *La Scuola in Azione*, n. 20, pp. 29-46, 25 fs., San Donato Milanese.

ROSSO DE LUNA, I., 1962. Las "alineaciones geoestructurales" y las "disyunciones regmagenéticas" Su interés para el planeamiento de prospecciones petrolíferas y de agua subterránea, *Bol. R. Soc. Esp. Hist. Nat. (G.)*, t. 60, n. 1, pp. 47-63, 5 fs., Madrid.

LIM TJHIANG IN, 1961. The role of wellsite geology in Petroleum Exploration, *Council f. Sci. Indonesia Publication*, n. 2, pp. 1-17 4 lms., Bandung.

TEMPLE, P. G., PERRY, L. J., 1962. Geology and Oil occurrence, Southeast Turkey, *Bull. Am. Ass. Petr. Geol.*, v. 46, n. 9, pp. 1596-1612, 11 fs., Tulsa.

FERGUSON, W. S., 1962. Analytical Problems in determining hydrocarbons in sediments, *Bull. Am. Ass. Petr. Geol.*, v. 46, n. 9, pp. 1613-1620, 5 fs., 2 tbs., Tulsa.

BAKER, D. R., 1962. Organic geochemistry of Cherokee Group in Southeastern Kansas and Northeastern Oklahoma, *Bull. Am. Ass. Petr. Geol.*, v. 46, n. 9, pp. 1621-1642, 9 fs., 7 tbs., Tulsa.

KVENVOLDEN, K. A., 1962. Normal paraffin hydrocarbons in sediments from San Francisco Bay, California, *Bull. Am. Ass. Petr. Geol.*, v. 46, n. 9, pp. 1643-1652, 2 fs., 3 tbs., Tulsa.

MIRSKY, A., 1962. Stratigraphy of non-marine Upper Jurassic and Lower Cretaceous rocks, Southern Big Horn Mountains, Wyoming, *Bull. Am. Ass. Petr. Geol.*, v. 46, n. 9, pp. 1653-1680, 15 fs., 1 tb., Tulsa.

PICARD, M. Dane, 1952. Occurrence and origin of Mississippian Gas in Four Corners region, *Bull. Am. Ass. Petr. Geol.*, v. 46, n. 9, pp. 1681-1700, 11 fs., 4 tbs., Tulsa.

### ROCAS SEDIMENTARIAS

STAUFFER, K. W., 1962. Quantitative petrographic study of Paleozoic carbonate rocks, Caballo Mountains, New Mexico, *Journ. Sed. Petrol.*, v. 32, n. 3, pp. 357-396, 38 fs., Tulsa.

CAROZZI, A. V., WILLIAM SODERMAN, J. G., 1962. Petrography of Mississippian (Borden) crinoidal limestones at Stobo, Indiana, *Journ. Sed. Petrol.*, v. 32, n. 3, pp. 397-414, 17 fs., 1 tb., Tulsa.

NITECKI, M. H., 1962. Observations on slickolites, *Journ. Sed. Petrol.*, v. 32, n. 3, pp. 435-439, 7 fs., Tulsa.

HUBERT, J. F., 1962. A zircon-tourmaline-rutile maturity index and the interdependence of the composition of heavy mineral assemblages with the gross composition and texture of sandstones, *Journ. Sed. Petrol.*, v. 32, n. 3, pp. 440-450, 1 f., 1 tb., Tulsa.

SARIN, Dev. D., 1962. Cyclic sedimentation of primary dolomite and limestone, *Journ. Sed. Petrol.*, v. 32, n. 3, pp. 451-471, 16 fs., 1 tb., Tulsa.

FREEMAN, T., 1962. Quiet water oolites from Laguna Madre, Texas, *Journ. Sed. Petrol.*, v. 32, n. 3, pp. 475-483, 10 fs., Tulsa.

LERBEKMO, J. F., PLATT, R. L., 1962. Promotion of pressure-solution of silica in sediments, *Journ. Sed. Petrol.*, v. 32, n. 3, pp. 514-519, 8 fs., Tulsa.

HAMBLIN, W. K., 1962. Staining and etching techniques for studying obs-

cure structures in clastic rocks, *Journ. Sed. Petrol.*, v 32, n. 3, pp. 530-533, 2 fs., Tulsa.

FOLK, R. L., 1962. Petrography and origin of the Silurian Rochester and McKenzie shales, Morgan County, West Virginia, *Journ. Sed. Petrol.*, v. 32, n. 3, pp. 539-578, 12 fs., 5 lms., Tulsa.

HAMBLETON, A. W., 1962. Carbonate-rock fabrics of three Missourian stratigraphic sections in Socorro County, New Mexico, *Journ. Sed. Petrol.*, v. 32, n. 3, pp. 579-601, 12 fs., 1 lm., Tulsa.

HEZEN, B. C., JOHNSON III, G. L., 1962. A peel technique for unconsolidated sediments, *Journ. Sed. Petrol.*, v. 32, n. 3, pp. 609-613, 3 fs., 1 tb., Tulsa.

DANGEARD, L., RIOULT, M., 1961 (editado en 1962) Observations nouvelles sur les accidents siliceux situés au sommet de la "Pierre de Caen", *Bull. Soc. Géol. France*, 7 sér., t. 3, n. 4, pp. 329-337, 1 lm., 2 lms. f. t., Paris.

ROSEFELDER, A., 1961 (editado en 1962) Une table de correspondance granulométrique "dimensions métriques-dimensions Phi temps de sédimentation standards", *Bull. Soc. Géol. France*, 7 sér., t. 3, n. 4, pp. 383-386, 1 tb., Paris.

RUSSELL, R., 1962. Origin of Beach Rock, *Zeitschrift f. Geomorph.*, n. f., v. 6, n. 1, pp. 1-16, 6 fs., 9 fot., Berlin.

MABESOONE, J. M., 1962. Some applications of Faber's method for grain size analysis by counting, *Geol. en Mijnbouw*, jg. 41, n. 10, pp. 409-422, 13 fs., 3 tbs., Gravenhage.

MENNIG, J. J., VITTIMBERGA, P., 1962. Application des méthodes pétrographiques à l'étude du Paléozoïque ancien du Fezzan, C. F. P., *Notes et Mémoires*, n. 2, 64 pp., 54 fs., Paris.

BERRY, W. B. N., 1962. Comparison of some Ordovician limestones, *Bull. Am. Ass. Petr. Geol.*, v 46, n. 9, pp. 1701-1720, 2 fs., 2 tbs., 3 lms., Tulsa.

DZULYNSKI, S., SANDERS, J. E., 1962. On some current markings in Flysch, *Rocznik Polsk. Tow. Geol.*, v. 32, fasc. 2, pp. 143-146, 2 lms., Krakow.

DZULYNSKI, S., KOTLARCZYK, J., 1962. On load-casted ripples, *Rocznik*

*Polsk. Tow. Geol.*, v. 32, fasc. 2, pp. 147-160, 4 fs., 4 lms., Krakow.

KOSTECKA, A., 1962. Laminated limestones of Zechstein in the Galezice Syncline (Holy Cross Mountains), *Rocznik Polsk. Tow. Geol.*, v. 32, fasc. 2, pp. 161-182, 10 fs., 6 lms., Krakow

## TECTONICA

AUBOUIN, J., 1961 (editado en 1962) Propos sur les géosynclinaux, *Bull. Soc. Géol. France*, 7 sér., t. 3, n. 7, pp. 629-728, 16 fs., Paris.

CASTOR, E., MENNESSIER, H., MENNESSIER, G., 1961 (editado en 1962) Les écaïlles de Combecave, près de Cabasse (Var), *Bull. Soc. Géol. France*, 7 sér., t. 3, n. 5, pp. 525-528, 3 fs., Paris.

CAIRE, A., 1961 (editado en 1962) Remarques sur l'évolution tectonique de la Silice, *Bull. Soc. Géol. France*, 7 sér., t. 3, n. 6, pp. 545-558, 6 fs., Paris.

CAREY, S. W., 1962. Scale of Geotectonic Phenomena, *Journ. Geol. Soc. India*, v 3, pp. 97-105, 2 fs., Calcutta.

CAREY, S. W., 1962. Folding, *Journ. Alberta Soc. Petr. Geol.*, v 10, n. 3, pp. 96-144, 47 fs.

O'DRISCOLL, E. S., 1962. Experimental Patterns in superposed similar Folding, *Journ. Alberta Soc. Petr. Géol.*, v. 10, n. 3, pp. 145-167, 9 fs., 6 lms.

SEGERSTROM, K., 1962. Structural effects related to hydration of anhydrite, Copiapó area, Chile, *Geol. Surv. Prof. Paper*, 450-C, pp. 28-30, 5 fs., Washington.

HIGGINS, C. G., 1962. Reconstruction of Flexure Folds by Concentric-Arc Method, *Bull. Am. Ass. Petr. Géol.*, v. 46, n. 9, pp. 1737-1739, 3 fs., Tulsa.

## PALEONTOLOGIA DE INVERTEBRADOS

PILLET, J., 1961 (editado en 1962) Contribution à l'étude de *Homanolotidae* (Trilobites) des Grès à *Dalmanella monnieri* (Siegénien inférieur) du Massif armoricain, *Bull. Soc. Géol. France*, 7 sér., t. 3, n. 5, pp. 457-462, 1 lm., 1 lm. f. t., Paris.

MIROUSE, R., PILLET, J., 1961 (editado en 1962) Trilobites dévoniens de la partie occidentale de la zone axiale pyrénéenne, *Bull. Soc. Géol. France*, 7 sér., t. 3, n. 5, pp. 474-480, 1 lm. f. t., Paris.

ROMAN, J., 1961 (editado en 1962)

Echinides éocènes de la région d'Es-kisehir (Anatolie occidentale), *Bull. Soc. Géol. France*, 7 sér., t. 3, n. 5, pp. 518-524, 1 f., 1 tb., 1 lm. f. t., Paris.

McLAREN, D. J., 1962. Middle and Early Upper Devonian Rhynchonelloid Brachiopods from Western Canada, *Geol. Surv. Canada Bulletin*, n. 86, 122 pp., 29 fs., 18 lms., Ottawa.

SHUTO, T., 1962. Buccinacean and Volutacean Gastropods from the Miyazaki Group, *Mem. Fac. Sci. Kyushu Univ.*, sér. D., Geol., v. 12, n. 1, pp. 27-85, 15 fs., 8 lms. f. t., Fukuoka.

YANAGIDA, J., 1962. Carboniferous Brachiopods from Akiyoshi, Southwest Japan. Part. 1, *Mem. Fac. Sci. Kyushu Univ.*, ser. D., Geol., v. 12, n. 1, pp. 87-127, 22 fs., 8 lms. f. t., Fukuoka.

BURKE, J. J., 1962. A New Enomphalid Gastropod from the Conemaugh Formation, Pennsylvanian, *Annals Carnegie Mus.*, v. 36, art. 10, pp. 123-128, 1 f., Pittsburgh.

BROOKS, H. K., 1962. The Paleozoic Eumalacostraca of North America, *Bull. Am. Paleont.*, v. 44, n. 202, pp. 163-338, 66 lms., Ithaca.

CAMARGO, M. J., 1962. Introdução ao conhecimento da sutura dos Amonoides, *Inst. Geol. Univ. Re. Paleontologia*, n. 1, pp. 11-15, Recife.

DAVID-HENRIET, R., 1962. Etude biométrique de l'espèce *Hildoceras bifrons Bruguière* (Toarcien), *Ann. Sci. Univ. Besançon*, 2 sér., Géol., fasc. 16, pp. 3-57, 21 fs., 10 tbs., Besançon.

LANE, B. O., 1962. The fauna of the Ely group in the Illipah area of Nevada, *Journ. Paleont.*, v. 36, n. 5, pp. 888-911, 8 fs., 4 lms., Tulsa.

ROLFE, I., 1962. Grosser morphology of the Scottish Silurian phyllocarid crustacean *Ceratiocaris papilio* Salter in Murchison, *Journ. Paleont.*, v. 36, n. 5, pp. 912-932, 10 fs., 4 lms., Tulsa.

NELSON, S. J., 1962. Permo-Carboniferous tabulate corals from western Canada, *Journ. Paleont.*, v. 36, n. 5, pp. 953-964, 4 fs., 2 lms., Tulsa.

GRANT, R. E., 1962. Trilobite distribution, upper Franconia formation (Upper Cambrian), Southeastern Minnesota, *Journ. Paleont.*, v. 36, n. 5, pp. 965-998, 10 fs., 1 lm., Tulsa.

PACKARD, E. L., JONES, D. L., 1962.

A new species of *Anisoceras* from Oregon, *Journ. Paleont.*, v. 36, n. 5, pp. 1047-1050, 3 lms., Tulsa.

SACCHI VIALLI, G., 1962. — Ricerche sulle fluorescenze dei fossili. II: Disegno cromatico e fluorescenza in *Neritina mutinensis* D'ANC, *Atti Ist. Geol. Univ. Pavia*, v. 13, pp. 55-64, 1 f., Pavia.

BONI, A., SACCHI VIALLI, G., 1962.

Studi biostratigrafici sui Pettinidi di località neogeniche e quaternarie dell'Italia nord-occidentale (parte prima) *Atti Ist. Geol. Univ. Pavia*, v. 13, pp. 65-119, 14 lms., Pavia.

COLLIGNON, M., 1961. Ammonites néocretacées du Menable (Madagascar) VII. Les Desmoceratidae, *An. Geol. Madagascar*, fas. 31, pp. 1-115, 18 fs., 32 ls., Paris.

QUINTERO, I., 1962. Graptolites en la provincia de Lugo, *Nota Com. Ins. Geol. Min. España*, n. 65, pp. 61-82, 18 fs., 4 ls., Madrid.

SDZUY, K., 1962. Trilobites aus dem Unter-Kambrium der Sierra Morena (S. Spanien), *Senck. Lethaea*, v. 43, n. 3, pp. 187-230, 1 f., 6 ls., Frankfurt.

#### MICROPALAEONTOLOGIA

COPELAND, M. J., 1962. Canadian Fossil Ostracoda, Conchostraca, Eurypterida and Phyllocarida, *Geol. Surv. Canada Bulletin*, n. 91, 57 pp., 2 fs., 3 tbs., 12 lms., Ottawa.

KUSTANOWICH, S., 1962. — A Foraminiferal Fauna from Capricorn Seamount, South-west Equatorial Pacific, *N. Z. Journ. Geol. Geophys.*, v. 5, n. 3, pp. 427-434, 3 fs., 2 tbs., Wellington.

TAPPAN, H., 1962. Foraminifera from the Arctic Slope of Alaska, Part

3, Cretaceous Foraminifera, *Geol. Surv. Prof. Paper*, n. 236-C, pp. 91-209, 30 lms., Washington.

ORLOWSKA ZWOLINSKA, T., 1962.

A First Finding of Zechstein Sporomorphs in Poland, *Kwartalnik Geol.*, t. 6, n. 2, pp. 283-297, 1 f., 1 tb., 6 lms., Warszawa.

McKNIGHT, W. M., Jr., 1962. The distribution of Foraminifera off parts of the Antarctic Coast, *Bull. Am. Paleont.*, v. 44, n. 201, pp. 65-158, 7 fs., 5 tbs., 15 lms., Ithaca.

TAKAHASHI, K., 1962. Pollenformen aus den eozänen Kohlenflözen von Ishizuchi, *Mem. Fac. Sci. Kyushu Univ.*, ser. D., Geol., v. 12, n. 1, pp. 1-26, 2 fs., 1 tb., 5 lms. f. t. Fukuoka.

GUTTENTAG, E. D., BENSON, R. H., 1962.—Neogene (Plio-Pleistocene) Freshwater ostracodes from the Central High Plains, *St. Geol. Surv. Kansas Bulletin*, n. 157, part 4, pp. 1-60, 15 fs., 2 lms., Lawrence.

SULLIVAN, H. J., 1962. Distribution of miospores through coals and shales of the Coal Measures sequence exposed in Weruddu Claypit, Caerphilly (South Wales), *Quart. Journ. Geol. Soc. London*, n. 471, pp. 353-373, 1 f., 1 tb., 1 lm., London.

WINSLOW, M. R., 1962. Plant Spores and Other Microfossils from Upper Devonian and Lower Mississippian Rocks of Ohio, *Geol. Surv. Prof. Paper*, n. 364, 93 pp., 12 fs., 22 lms., 5 lms., Washington.

JIZBA, K. M. M., 1962. Late Paleozoic bisaccate pollen from the United States midcontinent area, *Journ. Paleont.*, v. 36, n. 5, pp. 871-887, 1 tb., 4 lms., Tulsa.

HIGGINS, A. C., 1962. Conodonts from the "Griotte" Limestone of North West Spain, *Not. Com. Ins. Geol. Min. España*, n. 65, pp. 5-21, 2 fs., 2 ls., Madrid.

CIFELI, R., 1962. The Morphology and Structure of *Ammonia beccarii* (Linne), *Cont. Cush. Found. Foram. Res.*, v. 13, part 4, pp. 119-126, 7 fs., 2 ls., Ithaca.

LYNTS, G. W., 1962. Distribution of Recent Foraminifera in Upper Flo-

rida Bay and associated Sounds, *Cont. Cush. Found. Foram. Res.*, v. 13, part 4, pp. 127-141, 10 fs., 2 ls., Ithaca.

COLE, S. W., 1962. Periembrionic chambers in *Helicolepidina*, *Cont. Cush. Found. Foram. Res.*, v. 13, part 4, pp. 145-151, 2 ls., Ithaca.

#### PALEONTOLOGIA DE VERTEBRADOS

SIGNEUX, J., 1961 (editado en 1962)

Sur quelques Poissons fossiles du Bassin parisien, *Bull. Soc. Géol. France*, 7 sér., t. 3, n. 5, pp. 417-423, 1 lm. f. t., Paris.

OLSON, E., BARGHUSEN, H., 1962.

Permian Vertebrates from Oklahoma and Texas, *Oklah. Geol. Surv. Circular*, n. 59, 68 pp., 15 fs., 7 tbs., Norman.

BERGSTROM, S. M., 1962. Conodonts from the Ludibundus Limestone (Middle Ordovician) of the Tvären area (SE Sweden), *Arkiv f. Mineral. Geol.*, v. 3, n. 1, pp. 1-64, 5 fs., 5 lms., Stockholm.

HARRIS, R. W., 1962. New Conodonts from Joins (Ordovician) Formation of Oklahoma, *Oklah. Geol. Notes*, v. 22, n. 8, pp. 199-211, 2 fs., 1 lm., Norman.

MOOK, C. C., 1962. A New Species of *Brachyuranochampsia* (*Crocodylia*) from the Bridger Beds of Wyoming, *Am. Mus. Novitates*, n. 2079, pp. 1-6, 2 fs., New York.

DAWSON, M. R., 1962. A Scuravid Rodent from the Middle Eocene of Wyoming, *Am. Mus. Novitates*, n. 2075, pp. 1-5, 1 f., New York.

COLBERT, E. H., 1962. The Weights of Dinosaurs, *Am. Mus. Novitates*, n. 2076, pp. 1-16, 4 fs., 1 tb., New York.

McKENNA, M. C., 1962. — On the Shoulder Girdle of the Mammalian Subclass Allotheria, *Am. Mus. Novitates*, n. 2066, pp. 1-27, 6 fs., New York.

DAWSON, M. R., 1962. On Two Ochotonids (Mammalia, Lagomorpha) from the Later Tertiary of Inner Mongolian, *Am. Mus. Novitates*, n. 2061, pp. 1-15, 7 fs., New York.



GREGORY, J. T., 1962. The Genera of Phytosaurs, *Am. Journ. Sci.*, v. 260, n. 9, pp. 652-690, 5 fs., 5 tbs., New Haven.

SAIKAMA, T., ONUKI, Y., 1962. Equid Fossils from Iwate and Miyagi Prefectures, *Tohoku Univ. Sci. Rep.*, ser. 2 (Geol.), v. 34, n. 2, pp. 187-197, 3 lms., Sendai.

SKEELS, M. A., 1962. Two new fishes from the Middle Devonian Silica formation, Lucas County, Ohio, *Journ. Paleont.*, v. 36, n. 5, pp. 1039-1046, 3 fs., 1 lm., Tulsa.

De PORTA, J., 1962. A propósito de *E. Amerhippus curvidens* en el pleistoceno de Colombia, *Geol. Colombiana*, n. 2, pp. 35-39, 1 lm., Bogotá.

SACCHI VIALLI, G., 1962. Ricerche sulla fluorescenza dei fossili. I: Osservazioni sullo smalto dei denti di alcuni Vertebrati, *Atti Ist. Geol. Univ. Pavia*, v. 13, pp. 23-54, 4 fs., 1 tb., Pavia.

CRUSAFONT, M., 1962. Las especies transientes en Paleomastología; su importancia en España, *Not. Com. Ins. Geol. Min. España*, n. 65, pp. 49-59, Madrid.

BALLESIO, R., 1962. Note preliminaire sur un *Machairodus* du gisement villafranchien de Seneze (Haute-Loire), *Com. Rend. Soc. Geol. France*, fasc. 1, pp. 113-114, Paris.

WELLES, S. P., 1962. A new species of the cretaceous plesiosaurs, from the aptian of Colombia and a review of the cretaceous plesiosaurs, *Univ. Calif. Publ. Geol. Sci.*, v. 44, n. 1, pp. 1-96, 23 fs., 4 ls., Berkeley.

#### PALEOBOTANICA

AXELROD, D. I., 1962. A Pliocene Sequoiadendron forest from Western Nevada, *Univ. Calif. Publ. Geol. Sci.*, v. 39, n. 3, pp. 195-262, 3 fs., 13 lms., Berkeley.

KESLING, R. V., GRAHAM, A., 1962. *Ischadites* is a dasycladacean alga, *Journ. Paleont.*, v. 36, n. 5, pp. 943-952, 2 fs., 2 tbs., 2 lms., Tulsa.

DORF, E., RANKIN, D. W., 1962. — Early Devonian plants from the Traveler Mountain area, Maine, *Journ. Paleont.*, v. 36, n. 5, pp. 999-1004, 1 f., 1 lm., Tulsa.

KRAUSEL, R., WEYLAND, H., 1962. Algen und Psilophyten aus dem Unterdevon von Alken an der Mosel, *Senck. leth.*, v. 43, n. 4, pp. 249-282, 8 fs., 1 tb., 8 lms., Frankfurt.

MADEL, E., 1962. Die fossilen Euphorbiaceen-Hölzer mit besonderer Berücksichtigung neuer Funde aus der Oberkreide Süd-Afrikas, *Senck. leth.*, v. 43, n. 4, pp. 283-321, 8 fs., 2 tbs., 5 lms., Frankfurt.

SEGONZAC, G., 1961 (editado en 1962). Niveaux à Algues dans le Thanétien des Pyrénées (Corallinacées, Solenoporacées, Squamariacées, *Incertae familiae*), *Bull. Soc. Géol. France*, 7 sér., t. 3, n. 5, pp. 437-448, 1 lm., 1 lm. f. t., Paris.

JAGIELSKA, L., 1962. Microspore of the older Paleozoic from the Borehole Uszkowce 1, *Inst. Geolog.*, v. 6, n. 3, pp. 343-344, 4 ls., Warszawa.

#### GEOMORFOLOGIA

WICKMAN, F. E., 1962. The distribution pattern of land and water, *Arkiv f. Mineral. Geol.*, v. 3, n. 1, pp. 69-98, 31 fs., Stockholm.

MII, H., 1962. Coastal Geology of Tanabe Bay, *Tohoku Univ. Sci. Rep.*, ser. 2, (Geol. v. 34, n. 1, 93 pp., 36 fs., 4 tbs., 6 lms., Sendai.

SEGERSTROM, K., 1962. Deflated marine terrace as a source of dune chains, Atacama Province, Chile, *Geol. Surv. Prof. Paper*, n. 450-C, pp. 91-93, 5 fs., Washington.

MEUNIER, A. R., 1961 (editado en 1962) Contribution à l'étude géomorphologique du Nord-Est du Brésil, *Bull. Soc. Géol. France*, 7 sér., t. 3, n. 5, pp. 492-500, 2 fs., Paris.

TWIDALE, C. R., 1962. Steepened margins of inselbergs from northwestern Eyre Peninsula, South Australia, *Zeitschrift f. Geomorph.*, n. f., v. 6, n. 1, pp. 51-69, 8 fs., 8 lms., Berlin.

STEINMÜLLER, A., 1962. Fossile Karst - und Verwitterungserscheinungen im Unterharz, *Zeitschrift f. Geomorph.*, n. f., v. 6, n. 1, pp. 70-92, 12 fs., Berlin.

## GEOLOGIA DE COLOMBIA

MILLER, J. B., 1962. Tectonic Trends in Sierra de Perijá and adjacent parts of Venezuela and Colombia, *Bull. Am. Ass. Petr. Geol.*, v. 46, n. 9, pp. 1565-1595, 15 fs., Tulsa.

TABORDA A., B., 1961. Cuencas sedimentarias de Colombia, *Boletín As. Mex. Geol. Petr.*, v. 13, n. 9-10, pp. 325-345, 15 fs., México.